Appl. No. 10/811,695 Atty. Docket No. 9595 Response dated April 26, 2010 In response to Office Action of October 26, 2009 Customer No. 27752

## **AMENDMENTS TO THE CLAIMS**

This Listing of Claims will replace all prior versions and listings of claims in the application:

## Listing of Claims

1-20. (Canceled)

- 21. (Currently Amended) A front-fastenable disposable wearable absorbent article, comprising:
  - a longitudinal axis; and
  - a back waist region that includes:
    - a first side ear on a first side of the longitudinal axis;
    - a second side ear on a second side of the longitudinal axis; and
  - an intermediate stretch region disposed <u>primarily in the back waist region</u>, between the side ears and having an intermediate lateral tensile modulus;

wherein the first side ear includes a first fastener and a first side ear stretch region having a first side ear lateral tensile modulus that is greater than or about equal to the intermediate lateral tensile modulus.

- 22. (Previously Presented) The front-fastenable disposable wearable absorbent article of claim 21 wherein the first side ear lateral tensile modulus is greater than the intermediate lateral tensile modulus.
- 23. (Previously Presented) The front-fastenable disposable wearable absorbent article of claim 21 wherein the first side ear lateral tensile modulus is about equal to the intermediate lateral tensile modulus.

Appl. No. 10/811,695 Atty. Docket No. 9595

Response dated April 26, 2010

In response to Office Action of October 26, 2009

Customer No. 27752

24. (Withdrawn) The front-fastenable disposable wearable absorbent article of claim 21

wherein the first side ear lateral tensile modulus is equal to the intermediate lateral tensile

modulus.

25. (Previously Presented) The front-fastenable disposable wearable absorbent article of

claim 21 wherein the second side ear includes a second fastener and a second side ear stretch

region having a second side ear lateral tensile modulus that is greater than or equal to the

intermediate lateral tensile modulus.

26. (Previously Presented) The front-fastenable disposable wearable absorbent article of

claim 25 wherein the first side ear lateral tensile modulus and the second side ear lateral

tensile modulus are each greater than the intermediate lateral tensile modulus.

27. (Previously Presented) The front-fastenable disposable wearable absorbent article of

claim 25 wherein the first side ear lateral tensile modulus and the second side ear lateral

tensile modulus are each about equal to the intermediate lateral tensile modulus.

28. (Withdrawn) The front-fastenable disposable wearable absorbent article of claim 25

wherein the first side ear lateral tensile modulus and the second side ear lateral tensile

modulus are each equal to the intermediate lateral tensile modulus.

29. (Previously Presented) The front-fastenable disposable wearable absorbent article of

claim 21 wherein the intermediate stretch region is included in a backsheet of the article.

30. (Previously Presented) The front-fastenable disposable wearable absorbent article of

claim 29 wherein an elastomeric element is attached to the backsheet in the intermediate

stretch region.

31. (Currently Amended) A pant-type disposable wearable absorbent article, comprising:

Page 3 of 9

Appl. No. 10/811,695 Atty. Docket No. 9595

Response dated April 26, 2010

In response to Office Action of October 26, 2009

Customer No. 27752

a longitudinal axis; and

a first side panel on a first side of the longitudinal axis;

a second side panel on a second side of the longitudinal axis; and

an intermediate stretch region disposed <u>primarily</u> in a back waist region of the article

between the side panels and having an intermediate lateral tensile modulus;

wherein the first side panel includes a first side panel stretch region having a first side

panel lateral tensile modulus that is greater than or about equal to the intermediate lateral

tensile modulus.

32. (Previously Presented) The front-fastenable disposable wearable absorbent article of

claim 31 wherein the first side panel lateral tensile modulus is greater than the intermediate

lateral tensile modulus.

33. (Previously Presented) The front-fastenable disposable wearable absorbent article of

claim 31 wherein the first side panel lateral tensile modulus is about equal to the intermediate

lateral tensile modulus.

34. (Withdrawn) The front-fastenable disposable wearable absorbent article of claim 31

wherein the first side panel lateral tensile modulus is equal to the intermediate lateral tensile

modulus.

35. (Previously Presented) The front-fastenable disposable wearable absorbent article of

claim 31 wherein the second side panel includes a second side panel stretch region having a

second side panel lateral tensile modulus that is greater than or equal to the intermediate

lateral tensile modulus.

36. (Previously Presented) The front-fastenable disposable wearable absorbent article of

claim 35 wherein the first side panel lateral tensile modulus and the second side panel lateral

tensile modulus are each greater than the intermediate lateral tensile modulus.

Page 4 of 9

Appl. No. 10/811,695 Atty. Docket No. 9595 Response dated April 26, 2010 In response to Office Action of October 26, 2009

Customer No. 27752

37. (Withdrawn) The front-fastenable disposable wearable absorbent article of claim 35

wherein the first side panel lateral tensile modulus and the second side panel lateral tensile

modulus are each about equal to the intermediate lateral tensile modulus.

38. (Withdrawn) The front-fastenable disposable wearable absorbent article of claim 35

wherein the first side panel lateral tensile modulus and the second side panel lateral tensile

modulus are each equal to the intermediate lateral tensile modulus.

39. (Previously Presented) The front-fastenable disposable wearable absorbent article of

claim 31 wherein the intermediate stretch region is included in a backsheet of the article.

40. (Previously Presented) The front-fastenable disposable wearable absorbent article of

claim 39 wherein an elastomeric element is attached to the backsheet in the intermediate

stretch region.